GYNEX®

Winter 2025 **Speculums** SEE PAGES 82-88 **Biopsy Punches** SEE PAGES 6-14 **Acetic Acid** Monsel's SEE PAGE 5 SEE PAGE 5

QUALITY

Steve says . . .



As we step into the promising year of 2025, the team at Gynex extends warm wishes for a Happy New Year filled with joy, health, and prosperity.

We are pleased to present our latest Winter Catalog featuring a comprehensive range of cutting-edge OBGYN instruments tailored to meet the evolving needs of your practice. We recognize the importance of the work you do, and it is an honor to contribute to your success by providing reliable and high-quality instruments. Our team is ready to assist should you

have any inquiries, require personalized assistance, or wish to discuss custom solutions.

Thank you for choosing Gynex as your partner in women's healthcare. We look forward to serving you and being an integral part of your continued success.

Thank you,

Stephen J. Sullivan

President and CEO, GYNEX® Corporation

Stephen J. Sullivan

President and CEO, GYNEX® Corporation

1996 – 1999 International Medical Consultant
 1993 – 1995 President, CooperSurgical® International Division
 1991 – 1993 President, Euro-Med™ Division of CooperSurgical®

1978 – 1991 Founder and President of Euro-Med®, Inc.



Table of Contents

Best Sellers	2-3
Patel™, Multi-Use Forceps	4
Monsel's Ferric Subsulfate Paste	5
Acetic Acid	5
BIOPSY PUNCHES	6-14
Ceramix™ Biopsy Punch	
Opal Rainbow™ Biopsy Punch, Titanium	7
Amethyst Biopsy Punch, Titanium	
Sapphire Biopsy Punch, Titanium	8
Gold Biopsy Punch, Titanium	
Rose Gold Biopsy Punch, Titanium	
Tischler Biopsy Punch, Stainless	
Rotating Biopsy Punches, Stainless - ROTO Tip™	
Ring Handle Biopsy Punches, Stainless	
Other Biopsy Punches, Stainless	
TENACULUMS	
Tissue Forceps, 1x2 teeth	
HOOKS	
ENDOMETRIAL CURETTES	
ENDOCERVICAL CURETTES	
Lickrish Spiral Curettes	
RotoCurette™	
ENDOCERVICAL SPECULUM	
FOERSTER FORCEPS	
OVUM FORCEPS	
Word Bartholin Catheter Kit	
Carson Myoma Polyp Grasping Forceps	
KEYES PUNCHES	
Patel™, Multi-Use Forceps	
IUD SECTION	
CERAMIX™ Coated IUD String Scissors	25
IUD String Scissors	
TOD OTTING OCIOCOTO IIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Villa™ Hormonal Dissecting Forcens	26
Villa™ Hormonal Dissecting Forceps Villa™ Hormonal Implant Remover	
Villa™ Hormonal Implant Remover	27
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use	27
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX®	27 28 28
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper.	27 28 28
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper	27 28 28 28 29
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper. IUD Removers	2728282829
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ®	2728282829
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX®	272828282930
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper. IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound®	
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound® Sims Sound • flex	
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound® Sims Sound • flex Other Sims Sound	
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper. IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound® Sims Sound • flex Other Sims Sound UTERINE DILATORS - Stainless Steel, Soft and Dennis	
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper. IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound® Sims Sound • flex Other Sims Sound UTERINE DILATORS - Stainless Steel, Soft and Dennis UTERINE CURETTES - Sims / Bumm	
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound® Sims Sound • flex Other Sims Sound UTERINE DILATORS - Stainless Steel, Soft and Dennis UTERINE CURETTES - Sims / Bumm Uterine Manipulator / Injector - Century UMI™	
Villa™ Hormonal Implant Remover IUD String Scissors, Single-Use Alligator Grasper by GYNEX® Serpentine Grasper. IUD Removers Ascona® IUD Snare IUD Insertion Kit -GYNEX®, Single-Use ® UTERINE SOUNDS Accu-Sound® Sims Sound • flex Other Sims Sound UTERINE DILATORS - Stainless Steel, Soft and Dennis UTERINE CURETTES - Sims / Bumm	

COLPOSCOPES - Galileo®	46-51
Accessories for Galileo® Colposcope	52
Galileo® Biological Microscope	53
COLPOSCOPES - CO Series	54-59
Galileo® Medical Exam Light	60-61
Accessories for Galileo® Medical Exam Light	60
Touch-Guard® Single-Use Protective Sheath	61
HYSTERECTOMY CLAMPS - Zephyr™ Titanium Rainbow™	62
HYSTERECTOMY SCISSORS - Titanium Rainbow [™] / Zephyr [™] .	63
NEEDLE HOLDERS - Webster / Mayo Hegar / Crile Wood	64
Laminaria Insertion Forceps	64
Electrode Extender / Electrode Handpieces	65
LLETZ ELECTRODES	66-68
Electrosurgery Patient Dispersive Pads for LLETZ Procedure	69
Extended Needle Adapter and Accessories	71
Smoke Evacuation Systems (Prefilter, Reducer, and Filter)	72
Tubing and Connectors for LLETZ Procedure	73
Sponge Forceps, Single-Use ®	74
Topical Anesthetic - HurriCaine®	74
LLETZ COATED INSTRUMENTS	
Tenacumlum	75
Hooks	75
Forceps	75
Rulers	75
4- Way Expander Vaginal Speculum	76
Lateral Vaginal Retractor	77
Open-Sided Speculum	77
Sullivan Vaginal Speculum	78-79
Pederson & Graves Vaginal Speculum	80-81
SPECULUM, STAINLESS STEEL	
Pederson & Graves Speculum	82-83
Sullivan Speculum	84-85
Lateral Vaginal Retractors	86
Auvard Weighted Speculum	86
Guttman Speculum	87
Greeberg Hysteroscopy Speculum	87
Open-Sided Speculum	88
Titanium Rainbow™ Speculum	89
Fetal Doppler / Doppler Gel / Thermasonic Gel Warmer	90
pHem-Alert® Vaginal pH test	91
Instrument Care and Cleaning	
Hot Glass Beads Sterilizer - Touch-Guard®	92
Low Suds Detergent Concentrate - Touch-Guard®	92
Stain Ex™ Stain Remover - Touch-Guard®	
Instrument Lubricant - Touch-Guard®	93
Instrument Repair and Sharpening	93
INDEX	95
ORDER INFORMATION	96-97
ODDED FORM	





Patel[™] Multi-Use Forceps



The one instrument that every gynecologist needs in their practice. With its patent-pending design, the **Patel**[™] excels at multiple functions:

- IUD Remover
- Sponge / Foerster Forceps
- Needle Holder
- Atraumatic Tissue Grasper
- More!

REF NHL3450 \$119⁹⁵

The Patel is the Swiss Army Knife of Gynecology

To learn more, see **page 24**



Monsel's Ferric Subsulfate Paste 20-22%

Monsel's is a pre-thickened formulation of the popular hemostatic agent. Apply directly to the surgical site following excision of tissue.

- Box of 12 Individual 8ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

REF 5055

Box of 12**\$199**⁹⁵

Controls bleeding after biopsy, LLETZ and laser procedures.



Acetic Acid 5%

- Box of 12 Individual 12ml vials
- 12 rayon-tipped applicator swabs
- Single-Patient-Use ®

REF AA312

Box of 12 \$899

Helps enhance the appearance of abnormal areas.



CERAMIX™ Biopsy Punches



Our sharpest, longest lasting biopsy punch

CERAMIX[™] coated biopsy punches offer increased resistance to corrosion and resilience against impact and low friction coefficient results on the market. Sharper up to 10 times longer than ordinary stainless steel with incomparable cutting-edge hardness.

See Hardness Comparison Chart below.

Hardness Comparison Chart

METAL	(HV 0.05)	COATED METAL	(HV 0.05)
Stainless Steel	550	Titanium Nitride	2900
Tungsten Carbide	650	CERAMIX Coating	4500

Vickers Hardness Test - HV/0.05 meaning a 50g load was used.





CERAMIX[™] Mini-Tischler

Actual Bite Size:

4.2mm x 2.3mm

REF 1060

20cm Shaft**\$525**95



CERAMIX[™] Medium Tischler

Actual Bite Size:

5mm x 3mm

REF 1065

20cm Shaft\$52595



CERAMIX™

Tischler

Actual Bite Size:

7mm x 3mm

1

REF 1070

20cm Shaft**\$525**95



CERAMIX™

Apex[™]

Actual Bite Size:

7mm x 3mm

REF 1075

20cm Shaft**\$525**95

Opal Rainbow™ Biopsy Punches, TITANIUM

Exclusive Titanium coated biopsy punches offer increased resistance to corrosion, resilience against impact and low friction coefficient. Stays sharper and smoother longer than traditional stainless steel.

• Double-spring handle





GYNEX° Original!

OPAL RAINBOW™ Tischler

Actual Bite Size: 7mm x 3mm







Tischler

REF TT010 20cm Shaft \$43495

REF TT035

25cm Shaft, Extra-Long \$444⁹⁵

Tischler, Tip Up

REF TT011 20cm Shaft \$43495

REF TT036

25cm Shaft, Extra-Long \$44495

Tischler, Tip Down

REF TT012 20cm Shaft \$43495

REF TT037

25cm Shaft, Extra-Long \$444⁹⁵

OPAL RAINBOW™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm ■







Mini-Tischler

REF TT005 20cm Shaft \$43495

REF TT030

25cm Shaft, Extra-Long \$444⁹⁵

Mini-Tischler, Tip Up

REF TT006 20cm Shaft \$43495

REF TT031


25cm Shaft, Extra-Long \$444⁹⁵


Mini-Tischler, Tip Down

REF TT007 20cm Shaft \$43495


REF TT032

25cm Shaft, Extra-Long \$444⁹⁵









Tischler Biopsy Punches, STAINLESS



The Best Selling Design in The World

Invented by GYNEX President Stephen J. Sullivan, the modern Tischler Biopsy Punch is the #1 Selling Design Worldwide!

GYNEX

Original!





Tischler

Actual Bite Size: 7mm x 3mm



Tischler

REF 1010 20cm Shaft**\$414**95

REF 1035 25cm Shaft, Extra Long.... **\$424** 95

barıatrıc



Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

REF 1005 20cm Shaft.....\$414⁹⁵

REF 1030 25cm Shaft, Extra Long... \$424⁹⁵



Tischler, Tip Up

REF 1012

20cm Shaft**\$414**95



Mini-Tischler, Tip Up

REF 1006

20cm Shaft \$41495



Tischler, Tip Down

REF 1014

20cm Shaft\$41495



Mini-Tischler, Tip Down

REF 1007

20cm Shaft\$41495





Tischler-Kevorkian

20cm Shaft**\$414**95 REF 1015

25cm Shaft, Extra Long..... \$42495 REF 1037

bariatric



Kevorkian

- Traditional Kevorkian bite
- Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm

\$414⁹⁵ REF 1029 20cm Shaft



Medium Tischler

Actual Bite Size: 5mm x 3mm



Medium Tischler

20cm Shaft**\$414**⁹⁵ **REF** 1008

25cm Shaft, Extra Long... \$42495 **REF** 1033


bariatric



RotoTIP™ Biopsy Punch, STAINLESS



RotoTIP[™] rotating biopsy punches offers the added convenience of changing the biopsy tip size and shape without the expense of having additional complete biopsy punches. With a single handle, you can have several tips available. Although the Standard Tip Tischler and the Mini-Tischler are the most popular, this design provides you a cost savings option to add angled tips. These tips easily rotate, allowing you to gain better positioning for a biopsy sample.



Tischler

REF 1200-10 Complete Punch\$495⁹⁵

Actual Bite Size: 7mm x 3mm

REF 1210
Tip Only\$29995

Tischler, Tip-Up

REF 1230 Tip Only \$299⁹⁵

Tischler, Tip-Down

REF 1200-20 Complete Punch\$495⁹⁵







RotoTIP™ Mini-Tischler

Actual Bite Size: 4.2mm x 2.3mm

Mini-Tischler

REF 1200-05

Complete Punch\$49595

REF 1205

Tip Only\$299⁹⁵



REF 1200-15

Complete Punch\$49595

REF 1215

Tip Only\$29995

Mini-Tischler, Tip-Up

REF 1200-25

Complete Punch\$49595

REF 1225

Tip Only\$29995







RotoTIP™ Oval

Actual Bite Size: 5mm x 3mm



Roto**TIP**™ Kevorkian

Actual Bite Size: 9mm x 3mm



Oval Tip

REF 1200-35

Complete Punch\$49595

REF 1235

Tip Only\$29995

Kevorkian Tip

REF 1200-40

Complete Punch\$49595

REF 1240

Tip Only\$29995



RotoTIP[™]Handle

REF 1200

Handle Only**\$209**95









Ring Handle Biopsy Punches, STAINLESS





Excellent for stenotic cervix

• Small handle / Mini tip

Actual Bite Size: 4mm x 2mm

REF 1050

24cm Shaft**\$414**95



Kevorkian Ring Handle Punch

- Traditional Kevorkian bite
- · Four teeth on bottom jaw

Actual Bite Size: 9mm x 3mm

REF 1053

25cm Shaft**\$414**95





Biopsy Punches, STAINLESS



Apex[™]

V-shaped anchoring jaw on the top and bottom

Actual Bite Size: 7mm x 3mm



Apex[™]

REF 1025 20cm Shaft\$414⁹⁵

barıatrıc



Tenaculums

Braun Tenaculum

LiteTouch™ TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

REF T2230	25cm Length	\$ 59 ⁹⁵
Angled Ha		
REF T2235	25cm Length	\$65 ⁹⁵

Standard TIP

Standard tips overlap 4-6 mm ±1mm (when closed)



Straight Handle

REF 3502	25cm Length	\$56 ⁹⁵
REF B230	30cm Length	\$67 ⁹⁵

Angled Handle

		\$CE05
REF 3532	25cm Lenath	\$65 ⁹⁵

Straight Handle

Schroeder Tenaculum

LiteTouch[™] TIP

LiteTouch tips overlap 1-2 mm ±1mm (when closed)



Straight Handle

T2222	25cm Length	5 9 95
Angled Ha	ndle	
REF T2225	25cm Length\$	65 ⁹⁵

Standard TIP

Standard tips overlap 4-6 mm ±1mm (when closed)



REF 3500	25cm Length	\$56 ⁹⁵
REF B130	30cm Length,	\$ 67 95
Angled Ha	ndle	
REF 3530	25cm Lenath	\$65 ⁹⁵

\$5695

Double Tooth



Straight Handle

REF 3501 Length 25cm	^{\$} 65 ⁹⁵
-----------------------------	--------------------------------

Teale Tenaculum

Slight Curve

REF 3536 25cm Length \$56⁹⁵



Foerster Foceps



Straight Handle

REF 3540	24cm Length	^{\$} 56 ⁹⁵
----------	-------------	--------------------------------

Angled Handle

REF 3542 24cm Length \$65⁹⁵

Tissue Forceps

Hold and manipulate various tissue.

Skene Tenaculum

Slight Curve

REF 3534 24cm Length \$56⁹⁵



Endocervical Speculum




Ratchet Handle

REF 2130	3mm Tip \$197 ⁹⁵
REF 2140	4mm Tip \$197 ⁹⁵

No Ratchet

REF 2030	3mm Tip	^{\$} 187 ⁹⁵
REF 2040	4mm Tin	\$1 87 ⁹⁵





Hooks

Angle Hook

REF 3225

26cm Length \$4995

Iris Hook

REF 3210

 $26 cm \ Length \ \ ^\$ 49^{95}$

2-Prong Hook


REF 3227

26cm Length \$5995

Emmett Tenaculum

REF 3220

26cm Length \$49⁹⁵



Endometrial Curettes

Novak Curette

Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3302\$5795

Shaft/Tip Size: 3mm

REF 3303\$5795

Shaft/Tip Size: 4mm

REF 3304\$5795



Randall Curette

· Luer lock suction attachment

Length: 25cm

Shaft/Tip Size: 2mm

REF 3310\$5795

Shaft/Tip Size: 3mm

REF 3312\$5795

Shaft/Tip Size: 4mm

REF 3314\$5795



Endocervical Curettes

Kevorkian Curette

with Basket Square Tip

Features a basket for secure sample collection during curettage procedures.

Basket Size: 10.5mm x 2mm



Titanium Rainbow ... \$8695



REF 3005



Kevorkian Curette Square Tip

Opening: 12mm x 2mm

REF TC3010

Titanium Rainbow ... \$8695



REF 3010

Stainless Steel\$7995



Dublin Curette Round Tip

Provides samples when aggressive scraping is necessary for hard to sample tissue.

Diameter: 4mm

REF TC3025

Titanium Rainbow ...*8695



REF 3025

Stainless Steel\$7995

Kevorkian Curette with Basket Round Tip

Features a basket for secure sample collection and a rounded tip for easier insertion.

Basket Size: 11.5mm x 2mm

REF TC3015

Titanium Rainbow ... \$8695



REF 3015

Stainless Steel\$7995



Townsend Curette

Designed with a small, pointed tip to facilitate easier penetration of the os.

Opening: 7mm x 1.3mm

REF TC3020

Titanium Rainbow ... $^{\$}86^{95}$



REF 3020

Stainless Steel\$7995




Curette Sharpening File

A compact, tapered sharpening stone with a diamond coating to maintain your curette's sharpness.

REF CSF3900\$3495





Lickrish Spiral Curettes





Dilator • Curette

The innovative Endocervical Lickrish Spiral Dual-Purpose Curette was developed by Dr. Gordon M Lickrish, former director of the colposcopy unit at University Health Network in Toronto. The spiral design is ideal for addressing cases of severe cervical stenosis and narrow endocervical canals, allowing for gentle insertion, dilation, and precise tissue sampling when standard curettes are inadequate. The tip can be gently guided through the Os while simultaneously advancing and rotating.

Titanium Cobalt

REF TB3040 21cm Length**\$86**95

Titanium Rainbow

REF TC3040 21cm Length \$8695

Stainless Steel

REF 3040 21cm Length \$82⁹⁵

Roto Curette[™]

The RotoCurette ECC is inserted into the canal and rotated to obtain samples from both sides.

REF 3050

Stainless Steel

Kevorkian Curette, Single-Use

Featuring a sharp basket tip and firm, angled handle for stability, leverage, and precise maneuverability during curettage procedures.

Box of 25**\$82**95 **REF** 3030

Total Length: 31cm Inner Basket: 3mm

Working Length: 16cm

OD: 4mm



Not made with natural rubber latex.



Ovum Forceps

Sopher Ovum Forceps

Sopher Original

Length: 25.5cm (10") Curved Jaw 11mm		
REF 3544 Ratchet Handle	^{\$} 114 ⁹⁵	
REE 3546 No Ratchet	\$109 ⁹⁵	



surrounding tissue

Sopher Original "lips" protect

Sopher Standard

Length:	25.5cm (10") <i>Cui</i>	rved Jaw 12mm
REF 3548	Ratchet Handle	^{\$} 114 ⁹⁵
REF 3550	No Ratchet	^{\$} 109 ⁹⁵
Length:	25.5cm (10") <i>Cui</i>	rved Jaw 14mm
REF 3552	Ratchet Handle	^{\$} 119 ⁹⁵
DEE 2554	No Ratchet	\$114 ⁹⁵



Sopher Original Jaw Open

Length: 28cm (11") Curved Jaw 12mm REF 3556 Ratchet Handle

REF 3558	No Ratchet	\$10995



Sopher Standard Jaw Closed

Length 28cm (11") Curved Jaw 14mm

REF 3560	Ratchet Handle	^{\$} 119 ⁹⁵
PEE 3562	No Batchet	\$114 95




Sopher Standard Jaw Open

Length: 33cm (13") Curved Jaw 12mm **REF 3564** Ratchet Handle**\$124**95

		¢4400E
REF 3566	No Ratchet	 .\$119 ⁹⁵





REF 3568	Ratchet Handle	^{\$} 129 ⁹⁵
----------	----------------	---------------------------------







Sopher Jaw

Sopher Jaw Actual Size: 11mm

12mm

Sopher Jaw



Actual Size: 14mm

Bierer Ovum Forceps

Length:	28cm (11″) Straight Jaw ′	l6mm
REF 3572	Ratchet Handle	\$114 95
REF 3574	No Ratchet	\$109 ⁹⁵
Length:	28cm (11″) Straight Jaw ′	19mm
REF 3576	Ratchet Handle	\$119 95
REF 3578	No Ratchet	\$114 95
Length:	33cm (13″) Straight Jaw	16mm
REF 3580	Ratchet Handle	\$119 95
REF 3582	No Ratchet	\$114 95
Length:	33cm (13″) Straight Jaw	19mm
REF 3584	Ratchet Handle	\$124 ⁹⁵
REF 3586	No Ratchet	\$119 ⁹⁵



Bierer, Jaw Open

Jacobson Ovum Forceps

Length: 2	28cm (11") S [.]	traight Jaw	20mm
REF 3588	No Ratchet		\$11495

Leng	gth: 33cm (13″) Stra	aight Jaw 20mm
REF 3	3590 No Ratchet	^{\$} 114 ⁹⁵



Jacobson, Jaw Open

Blumenthal

Blumenthal Ovum Forceps

Length: 28	3cm (11") Straight Jaw 20mm
REF 3592 N	lo Ratchet \$114 95
Length: 33	3cm (13") Straight Jaw 20mm
REF 3594	lo Ratchet ^{\$} 119 ⁹⁵



"lips" protect surrounding tissue

Saenger Ovum Forceps

Length:	26.5cm (10.5″) Straight Jaw	/ 16mm
REF 3596	Ratchet Handle	. \$114 95
REF 3598	No Ratchet	.\$109 ⁹⁵
Length:	26.5cm (10.5") Curved Jaw	16mm
		04440
REF 3600	Ratchet Handle	. 3114 95



Saenger Inner diameter teeth within oval jaws

Word Bartholin Catheter Kit



The Word Bartholin Catheter Kit contains everything you need for an effective office treatment of Bartholin gland abscesses and cysts providing patients with immediate relief.


Each Kit Contains:

- (1) Silicone inflatable catheter
- (1) Scalpel
- (1) 3cc Syringe w/24 GA Needle

REF 10-200 Box of 2 kits\$5995

Outpatient Treatment for Bartholin gland cysts and abscesses.





Insertion of an inflatable balloon is a non-surgical procedure that can be performed as an outpatient using a local anaesthetic injection to numb the area. It involves making a passage from the cyst or abscess through which the pus can drain over 4 weeks.



Corson Myoma Polyp Grasping Forceps

Experience precision and reliability with our Polyp Grasping Forceps, designed for superior performance in polyp removal procedures. Engineered with high-quality stainless steel, these forceps ensure exceptional durability and longevity.

Key Features:

- Precision Grip: Fine-tipped design for secure and accurate grasping of polyps.
- Ergonomic Handle: Comfortable, non-slip grip reduces hand fatigue during extended use.
- Enhanced Control: Smooth operation for seamless maneuverability in delicate procedures.



Keyes Vulvar Punch

Features a sharpened round tip, ideal for obtaining vertical core samples from the vulvar epithelium. Designed with a sturdy handle specifically for easy ejection of lodged specimens.





Keyes Vulvar Punch Single-Use

STERILE EO Single-Use ®
Not made with natural rubber latex.

This Single-Use Keyes Vulvar biopsy punch has a ribbed sturdy handle for maximum control and comfort. Box of 25.



Keyes Vulvar Punch Set

This essential Keyes Vulvar Punch set includes a sturdy universal handle with six high quality stainless steel interchangeable screw tips, ranging from 2mm to 7mm in diameter. The set comes in a storage case with numerically designated holding pins for each tip to stabilize tip while attaching handle. **Tip Sizes:** 2mm - 7mm



Keyes Punch Accessories Kit

The perfect accessory kit for your Keyes Punch set. This kit includes a small forceps for lifting the tissue sample and a pair of scissors for snipping it off. The diamond-coated sharpening stone will keep your Keyes punches like new.

Each Kit Contains:

- Small Pick-Up Forceps
- Small Scissors
- Diamond Coated Sharpening Stone

REF KPA1315\$9995




Patel[™] Multi-Use Forceps



The one instrument that every gynecologist needs in their practice. With its patent-pending design, the Patel[™] excels at multiple




Atraumatic Tissue Grasper



IUD Remover



Sponge Forceps



Needle Holder

IUD Section page 25-30

ONYX IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration


Onyx Titanium Coated Stainless Steel

KEY ADVANTAGES

- Incomparable cutting-edge hardness
- · Extremely rust and corrosion resistant
- Smoother mechanical action
- Low friction coefficient

Length: 25cm

REF 29-040 \$114⁹⁵



Our popular IUD String Scissors are now more durable and sharper than ever!


IUD String Scissors

Blunt Tip, Slight Curve, Fine Serration

High Quality Stainless Steel

Length: 25cm

REF 29-030 \$85⁹⁵






VILLA™



Hormonal Implant Dissecting Forceps

The Villa™ Hormonal Implant Dissecting Forceps and Implant Remover make the perfect pair in the event that an implant is not visible upon incision. After making an incision, some implants remain difficult or impossible to view. If this is the case, the dissecting forceps, with pointed tip, can be opened and closed to separate the tissue encapsulating the implant. This will allow the remover to grasp, hold, and retract the implant.



VILLATM



DIAMOND

Hormonal Implant Remover

The Villa[™] Hormonal Implant Remover is a clamp specially designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon[®]. A small, ring tip secures around the mid-point of the implant for modified "U" technique.

Villa™ Ho	rmonal In	ıplant Rei	mover, Straight
-----------	-----------	------------	-----------------

REF 29-800 \$56⁹⁵

Villa™ Hormonal Implant Remover, Angled


REF 29-900 \$56⁹⁵


Villa™ Hormonal Implant Remover, Set

Includes: 1 Straight, 1 Angled

REF 29-850\$96⁹⁵

Designed to grasp, hold, and retract a contraceptive implant located in the arm, such as Nexplanon[®], using a modified "U" technique.







IUD String Scissors, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

Metal Tip / Plastic Handle

· Handle features guide to reduce splaying

Length: 26.5cm

REF 29-065

Box of 12**\$49**⁹⁵

Gynex® Alligator Grasper

Blunt tip, Fine Serrated Teeth

High Quality Stainless Steel

Perfect for grasping IUD strings

Length: 23cm

Finely serrated teeth in the jaw secures the IUD string

Available in Two Jaw Size

REF 29-100 Jaw Size: 20mm**\$97**⁹⁵



Flexible Shaft, Small Tip, Grasping Teeth

High Quality Stainless Steel


KEY ADVANTAGES

- · Flexible shaft offers over 360° of mobility
- · Shaft holds desired position until reshaped
- · Small tip provides easy access

Length: 20cm

Tip in closed position: 4.5mm

REF 29-010 \$319⁹⁵



GYNEX'
Original!

IUD Remover, Crochet Style, Single-Use



Rounded Tip, Angled, Dual Grasping Slots

Length: 26.5cm

REF 29-200 Box of 12**\$59**⁹⁵



GYNEX

Willows™ IUD String Snare, Single-Use



Rounded Tip, Multiple Grasping Slots

• High quality malleable plastic

Length: 27cm

REF 29-300 Box of 12\$5995



GYNEX

IUD Remover, Crochet Style

Rounded Tip, Angled, Dual Grasping Slots

Length: 26cm

REF 29-020 \$82⁹⁵



GYNEX

Malleable IUD Remover, Crochet Style

Rounded Tip, Angled, Dual Grasping Slots

High Quality Malleable Metal

Length: 26cm


REF 29-025 \$92⁹⁵



ASCONA™ IUD String Snare

Effortless IUD Removal with Precision and Security

The ASCONA™ IUD String Snare is expertly designed to ensure secure and efficient IUD removal. Simply twist the hook to and advance the coild outer shaft to secure the string for removal. The ASCONA™ can be disassembled for thorough cleaning and sterilization. The flexible shaft and detachable hook make maintenance hassle-free.



Gynex® IUD Insertion Kit, Single-Use



Uterine Sounds

ACCU-SOUND® Uterine Sound, Single-Use



The simple yet ingenious design of the ACCU-SOUND® Uterine Sound eliminates the guesswork involved with a standard uterine sound. When inserting the ACCU-SOUND® into the uterus, the ring rests against the outside of the Os. When the device is withdrawn from the uterus and vagina, the ring stays in place, clearly indicating the uterine measurement.



Shaft Diameter: 3mm

REF 4950

Box of 25 \$74⁹⁵





GYNEX

Not Shown at Actual Size

1

Gently insert ACCU-SOUND® uterine sound's dilating tip into the cervical Os.

A VICTOR OS.

2

Gently advance the ACCU-SOUND® Uterine Sound until the back of the uterus is felt.

ACCU-SOUND® Uterine Sound ring will rest against the outside of the cervical Os.

3

Withdraw ACCU-SOUND® Uterine Sound from the uterus and vagina. The ring will remain in place on the uterine sound indicating the uterus measurement.



An accurate measurement is indicated by the location of the ring on the ACCU-SOUND*
Uterine Sound



Accurate Measurement

Sims Sound • flex, Single-Use







Gynex has improved the Sims Sound. Engineered from specifically formulated memory polymer, the Sims Sound Flex formable shaft enhances the providers ability to pre-shape the sound to meet each patient's unique physical requirements. Bold, laser-etched markings along the shaft provide clear, reliable measurements.


• Formable Memory Polymer

OD 4mm

Working Length: 16.6cm

REF 4630

Box of 25**\$57**95



Not Shown at Actual Size

Sims Sound Plus+, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

Malleable plastic

• OD 4mm

Length: 24cm

REF 4675

Box of 25 ..

\$**59**⁹⁵

GYNEX

Not Shown at Actual Size

Sims Sound, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

• Malleable plastic

OD 4mm

Length: 16.6cm

REF 4601

Box of 25

.\$**57**95

GYNEX

Not Shown at Actual Size

Sims Sound, REUSABLE

- Autoclavable
- OD 4mm

Length: 32cm

REF 4334 Stainless Steel, Non-Malleable \$4795

REF 4336 Stainless Steel, Malleable \$5295



Uterine Dilators


Mini Dilator Set

Set of 5 inter-changeable Probes and 1 Handle

High Quality Stainless Steel

Sizes: 1mm, 1.5mm, 2mm, 2.5mm and 3mm

REF 4005 Set......\$182⁹⁵





Extra Mini Dilator Tips

(Fits **REF**] 4005 Handle)

Sizes: 1.5mm, 2.5mm, 4mm and 5mm

Available only from GYNEX

 REF
 4005.1.5
 1.5mm
 \$4795

 REF
 4005.2.5
 2.5mm
 \$4795

 REF
 4005.4
 4mm
 \$4795


 REF
 4005.5
 5mm
 \$4795

2.5mm
4mm
5mm

1.5mm

Dots show actual diameter in mm





Soft Dilators, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These color coded dilators are soft and malleable allowing the operating physician to dilate with excellent control.

Soft Dilator, Os Locator

Used for locating the external Os by gently pushing the tip against the cervix.

Tapered Tip Length: 23mm

Overall Length: 21.5cm

Soft Dilator, Canal Finder

Used for indicating the cervical canal.

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

Soft Dilator, Fundus Finder

Used for establishing the entire length of the cervical canal from external Os to the internal Os.

Tapered Tip Length: 85mm

Overall Length: 21.5cm

REF 4213 Box of 12**\$57**⁹⁵



1.9mm 1.9mm 2.6mm ≯!!◆ ≯!!◆ Dilators Shown at Actual Size 21.5cm Os Locator **Canal Finder Fundus Finder** Single-Use ® Single-Use ® Single-Use ®

www.gynex.com • 1.888.486.4644



Soft Teflon Dilators, REUSABLE

Designed to dilate the cervical canal to allow entry into the uterus for evaluation of the cervical canal or uterine cavity. These Soft Teflon Dilators are reusable, fully autoclavable and can be sterilized after use. Each of these three dilators are comfortable to hold and allow the operating physician to dilate with excellent control.

Soft Teflon Dilator, Os Locator

Tapered Tip Length: 23mm

Overall Length: 21.5cm

Soft Teflon Dilator, Canal Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4202\$49⁹⁵

Soft Teflon Dilator, Fundus Finder

Tapered Tip Length: 45mm **Overall Length:** 21.5cm

REF 4203\$49⁹⁵

Great Value!

SAVE on a SET of 3 Dilators

STERILE / Reusable OK to Autoclave

STERILE / Reusable

OK to Autoclave

Soft Teflon Dilators Set, REUSABLE

Set of three includes: one Os Locator, one Canal Finder and one Fundus Finder.

REF 4200

Set of 3 \$9995

Note: Multi-Colored Single-Use ® and the White Reusable Soft Dilators are the same shape and are intended for identical use.

Dennis Dilators®, Single-Use

STERILE EO Single-Use ®

Not made with natural rubber latex.

5mm to 12mm

• Dual sizes on each dilator

• Diameter marked on handle for easy identification

• Ergonomic handle

Overall Length: 27cm

5-6mm Dilator

REF 4240 Box of 12**\$64**⁹⁵

7-8mm Dilator

REF 4245 Box of 12 \$64⁹⁵


9-10mm Dilator

11-12mm Dilator

Procedure Blister Tray

- Safe and Secure
- Sterile
- Easy Open Cover





Uterine Curettes

Sims Uterine Curette

Sharp & Rigid

All Sims Uterine Curette Tips Shown at Actual Size















Size 00

Size 0

Size 1

Size 2

Size 3

Size 4

Size 5

Size 6

REF CSU3900-9

Size 00: 10.5 x 4.0mm, Sharp, Rigid....... \$7495

REF CSU3900-0

REF CSU3900-1

REF CSU3900-2

REF CSU3900-3

\$7495 **Size 3:** 16 x 7mm, Sharp, Rigid

REF CSU3900-4

REF CSU3900-5

REF CSU3900-6

Bumm Uterine Curette

Sharp & Rigid

All Bumm Uterine Curette Tips Shown at Actual Size







Size 1

REF CBU3920-1

Size 1: 48 x 25mm \$7295

REF CBU3920-2

Size 2: 52 x 30mm \$7295

Size 2

REF CBU3920-3

Size 3: 62 x 35mm\$7295

Century UMI™

Uterine Manipulator/Injector



The Century UMI™ Uterine Manipulator is easy-to-use and designed for patient safety. Optimized to support a broad procedural versatility: Laparoscopic Tubal Occlusion, Diagnostic Laparoscopy, Minilaparotomy, Salpingoplasty and Fertility Exams.

Cannula Length: 33cm

OD: 4.5mm

Features

- Pear-shaped balloon for optimal hold
- Incorporated cervical stop (no spring!)
- Cannula to allow easy insertion
- Balloon forms an excellent seal at internal Os

Now including a 10cc luer lock syringe for your convenience!

LOW PRICE!

Low unit price, \$19.16 each

REF 10-160

Box of 12......\$22995

Passing Savings To You!

Note: It is highly recommended that the practitioner utilize a sound to determine the patient's uterine depth prior to using any uterine manipulator/injector.

suresample · Select 1

Endometrial Curette



Suresample® *Select1* is a uniquely designed curette for sampling the uterine endometrium, ideal for obtaining samples from the uterus and mucosal lining by scraping or vacuum suction.

Cannula Length: 8-1/8" (20.5cm)

OD: 3mm

Features

- Randall-Style sharp cutting-edge
- · Semi flexible curette with slight curve
- Easily readable 1cm markings on cannula
- White Cannula Stylet insert for additional rigidity
- Depth Marker acts as a visual aid to protect against perforation
- 10mL standard syringe with Twist-and-Lock plunger



REF 3130 Box of 5..... \$36⁹⁵

REF 3135 Box of 24..... \$144⁹⁵

The unique design and special features allow for better accuracy and a more reliable sample.

suresample · Select 1

Endometrial Curette

Simple, Safe and Effective

Tapered tip for easier insertion.

Randall - Style sharp cutting edge.

DEPTH MARKER

Set the desired curette marker depth after sounding the uterus. This depth marker acts as a visual aid to reduce the risk of perforation.

TWIST AND LOCK PLUNGER

The twist-and-lock plunger on the syringe allows the provider to maintain a constant vacuum pressure while collecting the specimen

The endometrial sampler with a proven track record!

SUPSAMPLE® Endometrial Sampler


The Suresample® Endometrial Sampler has been trusted by doctors for over *25 years*

Our patented 3-port sampling system doubles the harvested samples of tested competitors and allows easy retrieval with reduced cell damage. A much greater histological adequacy and integrity than any other samplers. 12 to 1 ratio of histological adequacy and 8 to 3 for histological integrity, Suresample® is the finest endometrial sampler.

Suresample® formable shaft memory allows the physicians to **pre-shape shaft** to meet each patient's unique physical requirements. Its tensile strength and rigidity make it malleable enough to conform to the direction of the cervix and lower segment, strong enough to access a tight canal. The formable 3mm shaft diameter enhances ease of use and minimizes patient discomfort.



AMOUNT OF BIOPSY TISSUE



Better performance than other brands

Suresample® Endometrial Sampler retrieves more than twice the harvest of its competition!

SUPSAMPLE® Endometrial Sampler



Features and Benefits

- 3-Port Sampling System one port on each side of the distal end of the shaft and one on the tip end.
- **Grip retraction** creates a strong internal vacuum.
- Two phase action between the ports and grip produce a higher yield of tissue sample in an amazingly controlled manner.
- Formable memory shaft allows physician to shape the sampler to meet each patient's physical requirements.
- Tensile strength and rigidity allow conformity but also provide enough strength to access through a smaller canal.
- No cutting or splitting of tip (a tedious process required by other widely used samplers that leads to damaged specimen).
- Quick retrieval process simply push the SURESAMPLE® Endometrial Sampler grip back, forcing the specimen out of the open sampler tip and sides.



GalileO® Colposcope Direct-Access™ 530VCDA

Three-Step Magnification with Integrated LED Light and HD Video Camera

Designed with a patented offset center post for direct access, The Galileo Colposcope is a work of art in both form and function.

Features

- Direct-Access™ Offset Center Post
 (Allows for unobstructed access to the examination site)
- Multi-Coated, Hand-Polished Apochromatic German Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Observation Site Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- HDMI Video
 (Allows for live feed and image/video capture)

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Video Feed: HDMI-Video
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



with a 5-wheel Rolling Base

with a 360° rotating Tilt Base

1 Year Extended Warranty

REF 530VCDA-T/R-1 \$575⁰⁰

2 Year Extended Warranty

REF 530VCDA-T/R-2 \$825⁰⁰

Galileo Design Team is the Proud Recipient of the German • Red Dot Concept Design Award

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!

360

360° Tilt Base

Easy Maneuverability



Superb German Optics


Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Optimal Color Balance





GalileO® Colposcope Direct-Access™ 400DA

Three-Step Magnification with Integrated LED Light

Designed with a patented offset center post for direct access, The Galileo Colposcope is a work of art in both form and function.

Features

- Direct-Access[™] Offset Center Post
 (Allows for unobstructed access to the examination site)
- Multi-Coated, Hand-Polished Apochromatic German Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Observation Site Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 79mm, 39mm, 19mm
- Depth Of Field: 4.5mm, 1.13mm, 0.76mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



with a 5-wheel Rolling Base

REF 400DA-R56,29500

with a 360° rotating Tilt Base

REF 400DA-T \$6,29500

1 Year Extended Warranty

REF 400DA-T/R-1 \$450°°

2 Year Extended Warranty

REF 400DA-T/R-2 \$645⁰⁰

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



360° Tilt Base

Easy Maneuverability



Superb German Optics


Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Optimal Color Balance







ROLLING BASE with 5 locking wheels is a highly portable industry standard with a clean, sleek design.

On/Off Switch and Power Indicator Light

Gross Height Adjustment Knob

TILT BASE (shown) provides a stable platform and 360° rotation. Wheels make it easily portable.

GalileO® Colposcope Direct-Access™ 200DA

Single Magnification with Integrated LED Light

Designed with a patented offset center post for direct access, The Galileo Colposcope is a work of art in both form and function.

Features

- Direct-Access[™] Offset Center Post
 (Allows for unobstructed access to the examination site)
- Multi-Coated, Hand-Polished Apochromatic German Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Observation Site Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter

Options

- 360° Tilt Stand Base / 5-Wheel Rolling Stand Base
- Additional Extended Warranty

Specifications

- Focal Length: ± 300mm
- Magnification: 7.5X
- Field Of View: 39mm
- Depth Of Field: 1.13mm
- Light Intensity: > 30,000 LUX
- Working Height: 975mm to 1135mm
- Power Supply: 100V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)



with a 5-wheel Rolling Base

REF 200DA-R\$4,99500

with a 360° rotating Tilt Base

REF 200DA-T \$4,995°°

1 Year Extended Warranty

REF 200DA-T/R-1 \$37500

2 Year Extended Warranty

REF 200DA-T/R-2 \$535⁰⁰

Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!



360° Tilt Base

Easy Maneuverability



Superb German Optics

Apochromatic Lens
High Resolution
Large Depth of Field
Wide Field of View
Great Contrast
3-D Image Reproduction



LED Light Source

Lasts Longer Cool To The Touch Optimal Color Balance





Accessories

for Galileo® Colposcope Direct-Access™ 530VCDA

Video Capture Device

Connects Galileo® Colposcope 530VCDA to a PC for viewing and capturing images.

Uses a USB 2.0 or 3.0 port on a computer.







Equipped with rechargeable battery.

Gynex® Monitor

The Gynex® monitor is equipped with a built-in rechargeable battery for your convenience. It offers a convenient viewing option for patients and staff with one single cable connecting colposcope to the monitor.

Monitor with Rolling Base

REF 450MS\$2,69500

Monitor Only

REF 450M\$324⁹⁵

(Note: Actual monitor shipped may be different than model shown)



Galileo® Biological Microscope

Specifications

• Condenser Numerical Aperture: Na = 1.25

• Stage Movement Range: Longitudinal 50mm, Transverse 75mm

• Fine Focusing: Minimum Division .002mm

• Interpupillary Distance Adjustment Range: 53-75mm

• Light Source: 6v / 20w Halogen Lamp, Adjustable Brightness

Extended Warranties Available (Excludes shipping charges)

Clearer images and wider views at a great price!

Eyepieces	10X Magnification	25mm Focus	Φ 18mm Field		
	Semi-Plan Achromatic				
	Magnification	4X	10X	40X	100X (oil)
Objectives	Total Magnification	40X	100X	400X	1000X
	N.A. (Numerical Aperture)	.1	.25	.65	1.25
	W.D. (mm)	23.1	4.1	.6	.38



Components

- Plastic Carrying Case
- 2 Eyepieces
- 1 Extra Fuse
- 1 Extra Bulb
- 1 Dust Cover
- 1 Instructions for Use
- 1 Bottle of Immersion Oil

Warranty: 1 Year - Parts and Labor

Galileo Biological Microscope

1 Year Extended Warranty

REF MI-6000-1 \$11500

2 Year Extended Warranty

REF MI-6000-2 \$17500

CO4100 Colposcope

Three-Step Magnification, 45° Angle with Integrated LED Light

The CO4100 Colposcope features three-step magnification and 45° viewing angle with integrated LED light. The 45° angle lenses allow inclined viewing for a natural sitting position, reducing the need to bend over. The CO4100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Optical Angle: 45°
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 32mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



with a 360° rotating Tilt Base

REF CO4100-LED \$5,29500

1 Year Extended Warranty

REF CO4100-1 \$450°0

2 Year Extended Warranty

REF CO4100-2 \$645⁰⁰

These circles indicate the millimeter size at the tissue site.



Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light SourceLasts Longer
Cool To The Touch
Optimal Color Balance



Universal Teflon Ball Joint 360° Easy Maneuver

CO3100 Colposcope

Three-Step Magnification with Integrated LED Light

The CO3100 Colposcope features three-step magnification with integrated LED light. The device is compact, and light-weight with 360° tilt base for easy maneuverability. The CO3100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Three-Step Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 3.75X, 7.5X, 15X
- Field Of View: 9.5mm, 19mm, 38mm
- Depth Of Field: 5mm, 8mm, 34mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



with a 360° rotating Tilt Base

REF CO3100-LED\$4,69500

1 Year Extended Warranty

REF CO3100-1 \$400°0

2 Year Extended Warranty

REF CO3100-2 \$550⁰⁰



Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light Source

- Lasts Longer
- Cool To The Touch
- Optimal Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

CO1100 Colposcope

Single Magnification with Integrated LED Light

The CO1100 Colposcope features 9x magnification. The device is compact and light-weight with a with 360° tilt base for easy maneuverability. The CO1100 Colposcope includes excellent optics designed to facilitate comprehensive cervical examination, with ease and style.

Features

- Multi-Coated, Hand-Polished Apochromatic Lens (Minimizes secondary color and corrects chromatic abrasion)
- Integrated Power Source and Cables
 (Enclosed in base and post for a clean and clutter free look)
- Low voltage DC power (Eliminates the need to replace fuses)
- LED Illumination System (Accurate color balance, cool to the touch, long bulb life)
- Single Magnification
- Optical Measurement Rings
- Individual Eye-Shields
- Integrated Green Filter
- Adjustable Tension Ball-Joint for Easy 360° Motion

Specifications

- Focal Length: ± 316mm
- Magnification: 9X
- Field Of View: 22mm
- Depth Of Field: 8mm
- Light Intensity: > 25,000LUX
- Working Height: 838mm to 1194mm (33" to 47")
- Power Supply: 90V to 240V
- Warranty: 1 Year Parts and Labor (excludes shipping charges)

Options

Additional Extended Warranty



with a 360° rotating Tilt Base

REF CO1100-LED\$3,39500

1 Year Extended Warranty

REF CO1100-1 \$29500

2 Year Extended Warranty

REF CO1100-2 \$415⁰⁰



Our colposcopes now utilize low-voltage DC power eliminating the need to replace fuses!





LED Light Source

- Lasts Longer
- Cool To The Touch
- Optimal Color Balance



Universal Teflon Ball Joint

• 360° Easy Maneuver

Galileo® Medical Exam Light

Experience the ultimate convenience and functionality of the Galileo® Medical Exam Light. Its **flexible neck** and adjustable design allow you to position the light exactly where you need it, providing optimal sharp illumination. Its **durable** and aesthetically pleasing design makes it a smart investment for any medical facility.

With **energy-efficient** LED bulb, the Galileo® Medical Exam Light is not only cost-effective but also long-lasting.

Ideal for hospitals, clinics, and private practices, the Galileo® Medical Exam Light is the perfect addition to any medical setting.

Brighter and Cost Effective

- Features 1 white 3W LED for precise, high-output lighting
- Boasts a long lifetime of up to 50,000 hours and provides high illuminance of 70,000
 Lux at a 200mm working distance
- Consumes less energy than traditional lighting options
- Eliminate the need for frequent bulb replacement

True-to-Life Color Reproduction

- The lighting is easy on the eyes, providing a comfortable visual experience
- Delivers exceptional color rendering capabilities, ensuring that the illuminated area looks natural and highly contrasted

Adjustable Spot Size

- Offers adjustable spot size with a diameter ranging from 15mm to 220mm, making it suitable for a wide range of situations and working distances, from 200mm to 1000mm
- Easy to clean, ensuring hassle-free maintenance

Flexible Goose Neck

- An extremely flexible goose neck can be securely fixed in any position
- Features a two-segment design that allows for bending at any angle and any directions





Medical Exam Light Accessories

Table Mount

Mount the Galileo® Medical Exam Light to your table for additional floor space.





Wall Mount

The Galileo® Medical Exam Light Wall Mount Bracket frees up floor space when necessary.





SCAN to SHOP

Invest in the best and choose

Galileo

REF MEL-50 \$54

Touch-Guard® Single-Use Protective Sheath

Touch-Guard® Single-Use Sheaths protect your medical exam light and reduce the risk of contamination.

- Recommended to use with Galileo® Medical Exam Light REF MEL-50
- Can be used with most goose-neck exam lights under 4cm in diameter





Hysterectomy Clamps

Zephyr[™]Titanium Rainbow[™]


Titanium Coated Hysterectomy Clamps

 REF TT580-27
 27cm
 \$21495

 REF TT580-30
 30cm
 \$22495

 REF TT580-36
 36cm
 \$23495

Slight Curve



Angled



The Original Zephyr™

Stainless Steel Hysterectomy Clamps

Zerom .	Straight
REF 3580-21	21cm \$114 ⁹⁵
REF 3580-24	24cm \$119⁹⁵
REF 3580-27	27cm \$124 ⁹⁵
REF 3580-30	30cm \$129⁹⁵







Hysterectomy Scissors

Titanium Rainbow™ Scissors

Titanium Coated Hysterectomy Scissors



Slight Curve

REF TT680-20	20cm	\$ 97 ⁹⁵
REF TT680-23	23cm	\$ 99 95



Full Curve

REF TT690-20	20cm	\$ 97 ⁹⁵
REE TT690-23	23cm	\$9995



Curve

REF TT685-20	20cm	\$ 97 ⁹⁵
REF TT685-23	23cm	\$9995



Angled

REF TT695-20	20cm	\$ 97 ⁹⁵
REE TT695-23	23cm	\$ 99 95

Zephyr[™] Scissors

Stainless Steel Hysterectomy Scissors



Curve Scissors

REF 3685-20	20cm	\$ 97 ⁹⁵
DEE 300E 33	22am	s QQ 95



Angled Scissors

REF 3695-20	20cm	\$ 97 95
REF 3695-23	23cm	\$ 99 ⁹⁵



Slight Curve Scissors

REF 3680-20	20cm	3 9 /33
REF 3680-23	23cm	\$ 99 95



Full Curve Scissors

REF 3690-20	20cm	\$ 97 95
REF 3690-23	23cm	\$ 99 ⁹⁵

Scissors

Iris Scissors

Straight

REF S3816

11cm Length......**\$36**95

Curved

REF S3814

11cm Length.....\$3995

Angled

REF S3812

11cm Length.........\$4295

Littaur Stitch Scissors

REF S3810

14cm Length.....\$2795



Laminaria Insertion Forceps

Specifically designed for insertion of laminaria.

REF 1600 \$7995

Needle Holders

Webster Smooth Needle Holder

Smooth jaw

REF NHW3400 13cm Length...........\$3495

Mayo-Hegar Needle Holder

Serrated jaw

REF NHMH3410-14 14cm Length.........\$3495

REF NHMH3410-16 16cm Length.........\$3795

REF NHMH3410-18 18cm Length.........\$39⁹⁵

REF NHMH3410-20 20cm Length........\$4295

Crile-Wood Needle Holder

Serrated jaw

REF NHCW3420-15 15cm Length........\$3795

REF NHCW3420-18 18cm Length........\$3995

REF NHCW3420-20 20cm Length........\$**42**⁹⁵

REF NHCW3420-23 23cm Length........\$4795



Electrode Extender

Effectively Doubles the Shaft Length of Your Electrode



REF 12-0000 13cm Length

Box of 5**\$47**95

ACCESS DEEP CAVITIES AND OTHER **HARD-TO-REACH SITES**

Electrode Handpiece, Hand Activated with VL Plug

For use with standard removable electrodes



Not made with natural rubber latex

10 foot cable

REF 755VL

Box of 12.....



Electrode Handpiece, Foot Activated

For use with standard removable electrodes

STERILE EO (Single-Use (2)

Not made with natural rubber latex.

10 foot cable

REF 950

Box of 12.....**\$84**⁹⁵







H-Series Loop Electrodes

Precision Depth and Width Control




Not made with natural rubber latex






GYNEX





REF 13-2010 20mm x 10mm \$68⁹⁵ Box of 5.....

All Electrode Tips Shown at Actual Size



Ball Electrodes

Ideal for hemostasis of bleeding sites and/or ablation of sub-surface lesions

STERILE EO (Single-Use (2) Not made with natural rubber latex.

REF 2-3-2 3mm Diameter, 13.5cm Shaft Box of 5......**\$67**95

5mm Diameter, 13.5cm Shaft REF 2-5-2 Box of 5......**\$67**95

Needle Electrode

For electro fulguration using coagulation power outputs



REF 15-0001 26mm Long Needle Box of 5

GYNEX® Cone Electrodes



Not made with natural rubber latex.


The Cone Electrode is a LLETZ excisor for precise cone biopsy specimens

Cone biopsy electrodes allow for smooth rotation, facilitating the removal of precise, cone-shaped specimens. The tungsten linear wires are 0.20mm thick to help reduce backward drag. Molded shaft and stop arm are completely insulated to protect the endocervical canal and underlying vaginal structures.

Each electrode is packaged in a molded blister tray which keeps the tip true to shape and protects from breakage.


Triangle Cone Electrode






REF **14-1218** 12mm Radius x 18mm Height Box of 5......**\$68**⁹⁵





Contoured Cone Electrode





Electrosurgical Patient Dispersive Pads

for LLETZ Procedures

Connector shown at ACTUAL SIZE

NON-STERILE Single-Use
Not made with natural rubber latex.

Standard Grounding Pad with Cord, Solid-Style Generators Compatibility MANUFACTURES PAD REF # BEI* Plus II 395-302 CooperSurgical* LEEP* 1000 6050P CooperSurgical* LEEP* 6000 6050P



Box of 12 \$9995

REF 6010



SHOP ONLINE

SCAN QR-CODE TO VISIT WEBSITE






Extended Needle Adapters, Luer Hub, REUSABLE

Extends the reach of hypodermic needles

Stainless Steel

Available Size: 3-6 inch lengths

REF 5120	7.62cm (3") \$37 ⁹⁵	
REF 5122	10.16cm (4") \$37 ⁹⁵	
REF 5124	12.7cm (5") \$37 ⁹⁵	
REF 5126	15.24cm (6") \$37 ⁹⁵	



Cartridge Syringe, Screw Hub, REUSABLE

NOTE: This does not work with the Extended Needle Adapter shown above.



Filter, Prefilter and Reducer

for Smoke Evacuation Systems

Sterile Vacuum Tubing Sets, Single-Use





Not made with natural rubber latex_

Fits most smoke evacuation systems that use 1/2" OD. The 9'+ tubing is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets.....**\$199**⁹⁵

Prefilter Reducer, Single-Use



Not made with natural rubber latex

Fits into top of Prefilter (REF 8210), and adapts to .375" ID tubing (REF 8200 Tubing Set)

- Bottom opening is 1.33" OD
- Top opening is .375" OD
- Fits CooperSurgical 6080 Smoke Evacuator, with 8210 Prefilter

REF 8230

Oty 10**\$54**95

Prefilter, Single-Use



Not made with natural rubber latex

- Fits CooperSurgical 6080 Smoke Evacuator
- Top opening is 1.33" ID
- Non-combustible

REF 8210

Oty 10 \$19795

ULPA Filter, Single-Use




Not made with natural rubber latex

- Maximum Life 90 Days
- Fits CooperSurgical 6080 Smoke Evacuator

.....\$194⁹⁵ each REF 8215









Tubing and Connectors

for LLETZ Procedures



NON-STERILE Single-Use

Not made with natural rubber latex

Connects Clear-Flue[™] to Flexible-S Tubing. 1/4" to 7/8"

REF 8100

Box of 12.... \$2795

Flexible-S Tubing

NON-STERILE Single-Use Not made with natural rubber latex

Connects to DSE Tubing. 1/4" ID,3/8" OD x 2"

REF 8024 Box of 6 \$4795

DSE Tubing

(NON-STERILE) (Single-Use (2)

Not made with natural rubber latex

tube clip in speculum Attaches to specula with smoke evacuation clip. Non-combustible, No PVC. 1/4" OD x 9"

REF 8009 Box of 50 \$9295

Clear-Flue[™] Tubing

(NON-STERILE) (Single-Use (2) Not made with natural rubber latex

Attaches to either Flexible-S Tubing or to Sterile Vacuum Tubing. 7/8" OD x 66"

REF 8072

Oty 24.....**\$77**95

Tubing Connector

NON-STERILE Single-Use S Not made with natural rubber latex

Connects Clear-Flue[™] to Sterile Vacuum Tubing. 3/8" to 7/8"

REF 8103

Box of 12..... \$2795

CONNECTS WITH

Inserts into smoke evacuation

Sterile Vacuum Tubing Sets, Single-Use




Not made with natural rubber latex...

Fits many popular smoke evacuation systems that use 1/2 " OD. The 9'+ tube is connected to DSE tubing which connects to the speculum as shown in the illustration above.

REF 8200

12 Sets ... \$19995



Sponge Forceps, Single-Use

NON-STERILE Single-Use
Not made with natural rubber latex.

Length: 24cm



Topical Anesthetic

HurriCaine® Topical Anesthetic Snap-n-Go™ Swabs

Box of 72

- Fast onset 20 seconds
- Dose .15ml

See product details from manufacturer.

Beutlich® Pharmaceuticals. LLC

REF 0569 \$5995



HurriCaine® Topical Anesthetic Spray Kit

2oz Spray Container

- Provides 200 one second applications
- Includes 200 Single-Use extension tubes

See product details from manufacturer.
Beutlich® Pharmaceuticals, LLC

REF 0183 \$7995





LLETZ Instruments

LLETZ-Coated Teneculum

Coated Stainless Steel

Length: 25cm

Braun LiteTouch™ Tenaculum

Atraumatic design

Closed position, tips overlap 1-2 mm

REF LT2250

.....\$159⁹⁵

Braun Standard Tenaculum

Tips overlap 4-6 mm. ±1 mm

REF 3249 \$15995

Extremely gentle tissue pickup

LLETZ-Coated Tissue Forceps

Coated Stainless Steel

Length: 21.5cm

REF 3205 \$1099



LLETZ-Coated Hooks

Coated Stainless Steel

Length: 26cm on all hooks

Iris Hook

REF 3230 \$995

Emmett Tenaculum

REF 3240 \$99⁹⁵

Angle Hook

REF 3245 \$999

LLETZ-Coated Rulers

Depth Ruler

Coated Stainless Steel

• Millimeter markings, center at 5mm

Length: 24cm

REF 3250 \$119⁹⁵

Width Ruler

Coated Stainless Steel

• Millimeter markings

Length: 22cm

REF 3255 \$119⁹⁵



Vaginal Speculum, LLETZ COATED


4-Way Expander Vaginal Speculum

The 4-Way Expander Vaginal Speculum is designed for LLETZ procedures with Gynex's lavender non-conductive coating It provides a superior view with one instrument as compared to a standard speculum and lateral retractor. The built-in side blades are erected to enhance the view of the cervix as needed.



Lateral Vaginal Retractor

Control side wall collapse during electrosurgery with a GYNEX LLETZ-Coated Lateral Vaginal Retractor. It provides the extra access and visibility needed during electrosurgery procedures of the cervix. This instrument features GYNEX's exclusive autoclavable lavender coating, providing extra durability and safety.




Blade Reference Chart: Shown Actual Size, Scale 1:1

LLETZ Open-Sided Speculum

Left and Right Opening

Blade Reference Chart: Shown Actual Size, Scale 1:1



Sullivan Vaginal Speculum

Features


- Unique C-Arm maximizes your view
- Easy one handed open and release
- Locks firmly into place




ideal for bariatric patients


Blade Reference Chart: Shown Actual Size, Scale 1:1













Vaginal Speculum, STAINLESS





Sullivan Speculum


Features


- Unique C-Arm maximizes your view
- Easy one handed open and release
- · Locks firmly into place


ideal for bariatric patients



Blade Reference Chart: Shown Actual Size, Scale 1:1








C-Arm is designed to parallel the contour of the patient's leg

No side obstruction like most specula



Lateral Vaginal Retractor

With

Without

Control side wall collapse and get more cervical access with a GYNEX® Stainless Lateral Vaginal Retractor. For unparalleled ease of use and variety of practical sizes, nothing compares with GYNEX® Stainless Lateral Vaginal Retractor.

Compatible with GYNEX® Wide-View™ and FullView™ Specula

 Lateral vaginal retractors fit inside the speculum providing greater visibility and access to the cervix



Stainless Steel



Auvard Weighted Speculum

Single-end vaginal speculum designed to be used during vaginal surgery (hysterectomy, dilation and curettage) with the patient in the lithotomy position. The weight holds the speculum in place to provide an open view.

Fixed Weight: 1.4 kg

Size:105mm long x 38mm wide

REF SA2200 \$299⁹⁵

Guttman Speculum with Special Blades

This indispensable speculum operates without upper blades, permitting total visualization of the cervix & vagina. Two separators aid in the opening and stabilizing the vagina.

Medium

Large




Greenberg Hysteroscopy Speculum

The Greenberg Hysteroscopy Speculum is a modified traditional open-sided Graves speculum with shorter blades and an open side allowing removal of instruments while they are still in the vagina. This speculum brings the patient's cervix closer to the provider and reduces the length of unsupported hysteroscope shaft entering the cervical canal.



Boston, MA




Open-Sided Stainless Steel Speculum




Note: Blade length is measured from top center of back of blade to end of distal tip. In most cases, the bottom speculum blade will protrude and appear to be longer. Mechanical assembly of a speculum simply places the bottom blade in a more forward position. Although the two blades are normally similar in length, they may vary a few millimeters from lot to lot.

Titanium Rainbow™ Speculum

Exclusive Titanium Rainbow™ coating extends the life of instruments over traditional stainless-steel. The titanium coated speculum offers increased resistance to corrosion, resilience against impact and low friction coefficient. Titanium Rainbow™ is available in two viewing widths for Pederson and Graves.





GYNEX® ULTRASONIC FETAL DOPPLER



Add this excellent Fetal Doppler to your practice!

Fetal Doppler Model D2500

- Highly sensitive ultrasound
- Detects heart rates of fetus as early as the 12th week
- Automatic shutdown after 1 minute without operation
- Built-in loudspeaker
- Rechargeable battery, 1180 mah lithium
- Colorful display
- 2.5MHz Ultrasound Frequency
- FHR value, FHR waveform volume
- Includes battery charger and earphones

Dimension: 215mm x 200mm x 66mm

REF D2500\$31995



Thermasonic Gel Warmer

- Maintains constant temperature
- · Low electrical demand
- Heat indicator lamp
- Adjustable thermostat

REF D82-01\$31495



Doppler Gel

- Acoustically correct for the broad range of frequencies used
- Completely aqueous, will not stain clothing or damage transducers
- 250ml bottle

REF D-GEL Box of 6 ... \$4095



pHem-Alert® Vaginal pH Test



pHem-Alert® test measures vaginal pH, and is intended for use by women who have any of the following vaginal symptoms: Itching, Burning, Unpleasant Odor, Unusual Discharge

KEY ADVANTAGES

- Each test securely packed in a procedure blister tray
- Convenient, unique, patented applicator "key" with attached pH paper
- Easy to read pH chart included with every test set



The Original Vaginal pH Test Designed for Accurate & Comprehensive Results!

nH 4 F

- Normal pH
- Predominant lactobacilli
- Possible yeast overgrowth
- Normal serum estradiol

pH 5.0

- Low grade bacterial vaginitis
- Borderline serum estradiol

pH 5.5

- Bacterial vaginitis
- Low serum estradiol

pH 6.0

- Bacterial vaginitis
- Low serum estradiol

pH 6.

- · Bacterial vaginitis
- Very low serum estradiol

pH 7.0

Low to no serum estradiol

pm 7.

Low to no serum estradiol

Instrument Care and Cleaning

Touch-Guard® Hot Beads

Sterilization Beads

- Touch-Guard® Hot Beads provide a safe, effective and convenient way to sterilize surgical instruments.
- No need for potentially dangerous gases, flames, or chemicals to achieve sterilization.
- The specially cast "no-lead" glass beads transmit heat properly and remain intact at high temperatures.
- Simply plunge metal instruments into the hot glass beads for instant sterilization.
- Touch-Guard® Hot Beads are free of pathogens and microbial contaminants.
- Pre-measured containers make it easy to use the right amount of beads for each sterilization cycle.





SCAN to SHOP

REF 7106 6-Pack (6-month supply)

REF 7112 12-Pack (1-year supply)\$257

Touch-Guard® Stain-Ex™

Biological & Chemical Stain Remover

- Touch-Guard® Stain-Ex™ is a fast and effective biological and chemical stain remover.
- It removes a variety of stains, including lodinebased stains, Lugol's stain, and medical/ histological stains.
- It can be used on a range of surfaces, including hands, glassware, stainless steel, plastic, counters, floors, lab coats, laboratory equipment, and hospital linen.
- Touch-Guard[®] Stain-Ex[™] works great on LLETZcoated instruments.
- Application is easy, and stains are removed quickly (in a matter of seconds).





SCAN to SHOP

Touch-Guard® Low Suds

Liquid Instrument Detergent Concentrate

Touch-Guard® Low Suds Liquid Instrument Detergent Concentrate is used for effectively and safely cleaning all surgical instruments, plastic, glassware, and rubber tubing. Formulated for use in automatic washers, ultrasonics, washersterilizers, and manual cleaning.

- Neutral pH detergent with powerful sequestering and emulsifying agents
- Fast wetting, odorless, non-sudsing, maintains high detergency
- Removes protein, blood, tissue, fat and any organic soils
- No residue no pyrogens; leaves a surgically clean surface
- Exceptional cleaning in hard, soft, cold or hot water
- Biodegradable; contains no phosphates or NTA
- Free rinsing, non-enzymatic formulation
- Safe for ophthalmic cleaning









Touch-Guard® Lubricant

Instrument Lubricant and Rust Inhibitor

Touch-Guard® Instrument Lubricant and Rust Inhibitor protects and extends the life of all your surgical instruments. Clinically tested to be thoroughly steam penetrable, steam sterilizable and ETO sterilizable. When used daily as a rinse after cleaning, it will keep your instruments moving parts operating smoothly and remain effective even after autoclaving, without any oily residue.

- Reduces repair and replacement cost
- Prevents rust, spots, stains and corrosion
- Restores articulation to sticky box-locks and joints
- · Withstands high temperatures ad autoclaving
- Steam penetrable, sterizable and ETO sterizable
- Non-oily, non sticky, non-toxic, water-soluable and silicone free



SCAN to SHOP



To redeem your free sample, contact us (888) 486-4644



Instrument Repair and Sharpening

Gynex[®] allows you to extend the life of your instruments, deliver optimal performance and better manage your surgical asset investment. All sharpening and repairs also include rust/stain removal, cleaning, minor polishing and lubrication.

Gynex[®] sharpens and repairs most medical instruments. If the instrument that you would like to have sharpened or repaired is not listed here, or you have any questions, please contact us for more information.

Please note that due to metal, age and condition, some instruments may not be repairable or sharpened.

Pricing is as follows:

Gynex® Curette\$4000

Other Brand Curette\$5000

Toll Free: (888) 486-4644

(8:00am-5:30pm CDT)

Selling Notice:

All products are limited to purchase by licensed medical practitioners, physician and medical facilities. In most cases, we do not sell to the general public.

Warranty:

All hand-held instruments in this catalog are warranted to be free of defects in manufacturing materials and workmanship for two years from date of purchase. Customers who feel an instrument is defective must return it to GYNEX for evaluation. Products found to be defective will either be repaired or replaced with the same or comparable product, at the discretion of GYNEX Customer Service. Warranty on any hand-held GYNEX instrument is voided if instrument is repaired or sharpened by anyone other than GY-NEX. All GYNEX biopsy punches in this catalog will be sharpened free of charge for one year from date of purchase (if enough metal is remaining on tip to allow sharpening). Warranties do not cover general maintenance, cleaning or sharpening needs that result from normal use, except as noted above regarding biopsy punch sharpening. Damages caused by misuse, improper care, cleaning, chemicals, or loss and theft are not covered by this warranty. Shipping charges are not covered for free sharpening warranty nor extended equipment warranty.

Return Policy:

Customer must obtain Returned Merchandise Authorization (RMA) number from GYNEX customer service at (888) 486-4644. An itemized list of returned products must accompany all returns. Include the Returned Merchandise Authorization (RMA) number and explanation of why the product is being returned. Returned goods MUST be packaged in a shipping container equivalent to that in which it was received. Returned goods MUST be shipped at customer's expense by Parcel Post, Airborne, FedEx or UPS, and must be insured for the purchase price of the contents. Returned goods received by GYNEX in any form less than that described above will be refused by GYNEX and return shipped to the customer. The following items may be returned:

- Product with RMA number
- All returns must be made with in 30 days of the item receipt (except for warranty).
- Product with unbroken seals, with labels intact, in original container and packaging
- Unused instruments which have not been cleaned or sterilized
- Single-Use® product (sterile) in original, unopened package
- Product damaged in shipment*
- Product that has at least 12 months remaining shelf life as determined by the expiration date
- Instruments damaged, broken or not working properly due to defects in material or workmanship
 *Note: Product returned due to error or damage in shipping must be reported to customer service within 72 hours of receipt. Damaged product must be accompanied by a written explanation noting damage.

The following items may not be returned:

- Product without RMA number
- Product that has been improperly handled or stored
- Product that is marked, coded, dated, damaged, soiled or adulterated in any way (except standard cleaning and sterilization procedures for reusable instruments)
- Product damaged by or exposed to heat, fire, smoke, high humidity or water (except standard cleaning and sterilization procedures for reusable instruments)

Restocking Charge:

A 15% restocking charge applies to all returned product, unless the return is due to error in shipment, product damaged in shipment, or product returned for repair or replacement due to defect in material or workmanship.

Disclaimer:

All prices in this catalog are subject to change without notice. All sizes indicated may vary slightly, due to differences between manufacturers. In order to carry sufficient inventory, it is necessary for GY-NEX to purchase from different manufacturers. As a result, final products may not be the exact sizes as shown in charts, drawings or photos. The advertisements and information in this catalog may contain typographical errors or inaccuracies and may not be complete or current. GYNEX therefore reserves the right to correct any errors, inaccuracies, or omissions and change or update information at any time without prior notice. Please note that such errors, inaccuracies, or omissions may relate to pricing or availability. We reserve the right to refuse to honor offers or terms, which contain error or inaccuracies.

Trademark Notices:

Apex, Ascona, Ceramix, Century Uterine Manipulator/Injector. Clear-Flue, C-Safe, Direct-Access, EasyView, HexLoc, i-Series Titanium Rainbow, LiteTouch, LongView, LVR, NoSlip. FullView, New GYNeration, Opal Rainbow, Reach, Reach Extended Needle, RotoTip, Stain-Ex, Titanium Rainbow, Touch-Guard, Villa, WideView, Willows and Zephyr are trademarks of GYNEX Corporation. Dennis Dilators and Galileo are registered trademarks of GYNEX Corporation. . Use of these product names is limited to those with written authorization by an officer of **GYNEX Corporation of North Richland** Hills, Texas. ConMed and Sabre are registered trademarks of ConMed, Inc. UMI is a trademark of Thomas Medical, Inc. CooperSurgical, Shur-Lock and Euro-Med are registered trademarks of Cooper Companies. HurriCaine is a registered trademark and Snap -n- Go is a trademark of Beutlich LP, Pharmaceuticals. pHem-Alert is registered trademark of FemTek, LLC. Suresample is a registered trademark, and Portex is a trademark of Smiths Group. Z-Sampler is a trademark of BEI Medical Systems Company Inc. BEI is a registered trademark of BEI Medical Systems Company Inc. Pipelle is a registered trademark of Unimar, Inc. Utah Medical Products and Finesse are registered trademarks of Utah

Medical Products, Inc. Endocell is a trademark of Wallach Surgical Devices, Inc., and Wallach is a registered trademark of Wallach Surgical Devices, Inc. Teflon is a registered trademark of DuPont.

Force Majeure:

Neither party shall be liable for any failure or delay in delivery of goods, or in otherwise fulfilling its obligations with respect to the sale of goods to the other which results from any cause beyond its reasonable control, including disruption or delays in a common carrier's transportation schedule, compliance with any regulations, orders, acts, instructions, or priority requests of any national, state or municipal government, or any department or agency thereof, or any civil or military authority, or from acts of God, fires, or other casualty of accidents, strikes, lockouts, factory shutdowns, embargoes, riots, or other disorders, delays or shortages in transportation, or inability to obtain in sufficient quantity fuel, power, labor, manufacturing facilities or materials or other supplies from the usual sources of GYNEX. Not with standing the foregoing, in the event a party is unable to perform as a result of such force majeure event for a period exceeding sixty (60) days, the other party may, at its option, terminate its purchase order or commitment to sell the goods and neither party shall have any further liability hereunder other than for past services rendered and goods sold.

Official Notice

ALL products are shipped from GYNEX state-of-the-art warehouse in North Richland Hills, Texas


INDEX

ACETIC ACID	5
Alligator Grapser, Gynex®	. 28
Ascona™ IUD String Snare	
Accu-Sound®	31
BARIATRIC INSTRUMENTS	
Biopsy Punches6	i-14
Tissue Forceps	16
Specula, LLETZ Coated80	-81
Specula, Stainless Steel82	-83
BIOPSY PUNCHES	
Amethyst	8
Apex [™]	14
Ceramix [™]	6
Gold	9
Kevorkian Ring Handle	. 14
Medium-Tischler	. 11
Mini-Tischler	. 10
Opal Rainbow™	7
Rose Gold	
Sapphire	8
ROTOTip™ Biopsy Punches12	2-13
Sullivan Ring Handle	. 14
CARE AND CLEANING	
Hot Glass Beads Sterilizer - Touch-Guard®	92
Instrument Lubrication - Touch-Guard®	93
Instrument Repair and Sharpening	93
Low Suds Detergent - Touch-Guard®	
Stain-Ex [™] Stain Remover - Touch-Guard [®]	92
COLPOSCOPES	
Galileo®46	
Accessories for Galileo®	52
CO Series54	-59
DILATORS	
All Uterine Dilators33	
Dennis Dilators, Single-Use ®	
Dennis Dilators, Reusable	39
Hank Dilators, Uterine	. 34
Hegar Dilators, Uterine	. 35
Mini Dilators, Uterine	33
Mini Dilators Tips, 4mm and 5mm	
Pratt Dilators, Uterine	35
Small Dilators, Uterine	
Soft Dilators, Single-Use ®	
Soft Teflon Dilators, Reusable	
Doppler Gel	90
ELECTRODES	
Ball Electrode	
Contoured Loop Electrodes	
Electrode Extender	
Electrode Handpieces	
H-Series Loop Electrodes	
Needle Electrode	
Radius Loop Electrode	
Triangle Loop Electrodes	
Square Loop Electrodes	
Flectrosurgical Patient Dispersive Pads	69

FNDOGFRAGAL	
ENDOCERVICAL No. 101 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	8
Kevorkian Curette, Single-Use	
Lickerish Spiral Curettes	
RotoCurette™1	
i i	6
ENDOMETRIAL CURETTE AND SAMPLER	_
Navak and Randall Curette (Stainless)	
SURESAMPLE® Select1 Curette42-4	
SURESAMPLE® Sampler44-4	b
FORCEPS	
Corson Myoma Polyp Grasping Forceps2	
Foerster Forceps, Stainless Steel	
Laminaria Insertion Forceps6	
Sponge Forceps, Single-Use7	
Ovum Forceps	
GRASPER	U
Alligator Grapser - GYNEX®2	00
· .	
Serpentine Grasper2 HOOKS	.0
LLETZ Coated7	, E
Stainless Steel	
IUD INSTRUMENTS	'
Ascona™ IUD String Snare3	'n
Ceramix™ Coated String Scissors2	
Crochet Type IUD Removers	
GYNEX® Alligator Grasper	
IUD Insertion Kit, Single-Use -GYNEX® 3	
IUD String Scissors	
Serpentine Grasper IUD Remover	
Single-Use IUD String Scissors2	
Villa [™] Hormonal Dissecting Forceps2	
Villa™ Hormonal Implant Remover2	
Willows™ IUD String Snare, Single-Use2	
LATERAL VAGINAL RETRACTORS	
LLETZ7	7
Stainless Steel	
LLETZ COATED INSTRUMENTS	
All Items75-8	1
Hooks7	
LVR	
Speculum77-8	
Sponge Forceps, Single-Use ®7	
MEDICAL EXAM LIGHT - Galileo®	
Medical Exam Light - Accessories6	
Medical Exam Light Protective Sheath	
Microscope - Galileo®5	
MONSEL'S PASTE	
NEEDLE ADAPTER7	
NEEDLE HOLDERS	
Webster6	4
Mayo-Hegar6	64
Crile-Wood6	
OVUM FORCEPS	
Bierer	1

	21
Jacobson	21
Saenger	21
Sopher Original	20
PATEL™ MULTI-USE FORCEPS	4,24
PUNCHES	
Keyes Vulvar	23
Keyes Accessories	
REPAIRS & SHARPENING SERVICE	93
SCISSORS	
IUD String	25
Titanium Rainbow™	63
Zephyr [™] Stainless Steel	
Iris Stainless Steel	
Littaur Stitch Scissors	64
SMOKE EVACUATION	
Prefilter, Single-Use ®	
Prefilter Reducer	72
ULPA Filter	72
Tubing	73
SPECULA	
LLETZ Coated	
4-Way Expander	
Graves	
Open-Sided (left/right opening)	
Pedersons	
Sullivan	78-79
Stainless Steel	
Auvard	
Graves	
Greenberg	
Guttman	87
Guttman Open-Sided (left/right opening)	87 88
Guttman Open-Sided (left/right opening) Pederson	87 88 82
Guttman Open-Sided (left/right opening) Pederson Sullivan	87 88 82
Guttman	87 88 82 84-85
Guttman	87 88 82 84-85
Guttman	87 88 82 84-85 89
Guttman	87 88 82 84-85 89
Guttman	87 88 82 84-85 89 1
Guttman	87 88 82 84-85 89 15
Guttman	87 88 82 89 15
Guttman	87 88 8284-85 89 15 15
Guttman	87 88 82 84 89 15 15 16
Guttman Open-Sided (left/right opening) Pederson	87 88 82 84 89 15 15 16
Guttman Open-Sided (left/right opening) Pederson	87 88 82 89 15 15 16 16
Guttman	
Guttman	87. 88. 88. 88. 88. 88. 88. 88. 88. 88.
Guttman	874 888 899 899 899 899 899 899 899 899 89
Guttman	874 888 899 899 899 899 899 899 899 899 89
Guttman	87 88 88 89 89 89 89 89 89 89 89 89 89 89
Guttman	87 88 88 89 89 89 89 89 89 89 89 89 89 89
Guttman	87 88 88 89 89 89 89 89 89 89 89 89 89 89
Guttman	87 88 88 89 89 89 89 89 89 89 89 89 89 89

Transit Map





Toll Free: (888) 486-4644

(8:00AM-5:30PM CDT)

Fax: (425) 895-0115

E-mail: service@gynex.com

Web: www.gynex.com

Terms: Net 30 Days on open approved accounts. 1.0% finance charge per month shall apply on all past due accounts. International accounts require prepayment. New accounts may require prepayment with first order.

Shipping: FOB North Richland Hills, Texas. Normal shipping via UPS or FedEX Ground, and charges for shipping and handling are added to the order total. Expedited delivery (Next Day, 2nd Day, 3rd Day) available for additional charge.

Note: Pre-paid shipping charges of \$17.50, do not apply to Alaska, Hawaii, Puerto Rico, the Virgin Islands and other U.S. Islands, international orders or orders including colposcopes and medical exam lights. An additional custom fee may apply for the Virgin Islands and other U.S. Islands, and international orders. A handling fee will apply to orders that use customer's own shipping account.

Partial Shipments: We reserve the right to make partial shipments against orders and the amounts for such partial shipments will become due and payable upon receipt unless otherwise agreed to in writing by GYNEX.

5% Discounts: Customers may deduct an additional 5% off their total order when payment is made by check or ACH at the time of purchase. Credit card payments and COD orders do not qualify for this discount. This discount does not apply to Microscopes, Colposcopes and/or extended warranties and some specials where products are already discounted. This discount cannot be combined with other discounts.

Warranties Returns and Disclaimers: All information concerning these GYNEX policies are detailed on page 94 of this catalog.

Missing Merchandise Policy: GYNEX personnel have taken great care to pack your order. Each LOT number indicated in the first column on the Packing List corresponds with and was scanned from the product packed in this box. Quantities were verified in this manner. Back orders are clearly marked, and do not have a LOT number indicated. If anything is missing from your package, the customer is responsible for notifying GYNEX within 24 hours of the customer's receipt of package.



MAKE A COPY OF THIS ORDER FORM, FILL IT OUT AND SEND BY FAX OR MAIL

MAIL TO: GYNEX
P.O. BOX 822369
N. RICHLAND HILLS, TX 76182

FAX TO: (425) 895-0115

BILLING ADDRESS	SHIP TO
Name	Name
Address	Address
CityState Zip	City State Zip
Email	Fax
Phone ()	Contact Person

REF	Qty.	DESCRIPTION	Price Each	TOTAL
		A Y		
				<i> </i>

MAKE CHECKS PAYABLE TO:

GYNEX CORP. PO BOX 822369 N. RICHLAND HILLS, TX 76182

	Total Amount Ordered
	5% Discount for Pre-Paid Orders ONLY
\$17.50	Shipping and Handling for Pre-Paid Orders ONLY GROUND SHIPPING TO CONTINENTAL US ONLY, EXCLUDING ALASKA AND HAWAII. (Shipping charges apply for orders to Alaska and Hawaii)
	Sales Tax
	Total



6631 Browning Drive, North Richland Hills, TX 76180

Tel: (888) 486-4644 • **Fax**: (425) 895-0115 service@gynex.com • www.gynex.com

PRSRT STD US POSTAGE PAID GYNEX



Add this excellent Fetal Doppler to your practice! see page 90

SCAN to SHOP





(888) 486-4644 www.gynex.com



